



FW/27-28

AMICO
AMICO RWS
WAGNER



LANEROSI

Filati dal 1817



AMICO RWS / AMICO / WAGNER
Lanerossi

STOCK SERVICE

- ◆ Amico RWS
- Amico Soft 2/30
- ✕ Amico Soft 2/36

- Amico Teck 2/30
- * Wagner 2/30
- ▲ Wagner Teck 2/30

- ★ Amico Teck 2/48
- ◐ Amico Soft 2/48
- Amico Soft 2/60

A



W8001
◆ ● ✕ ◐ ■

76912
●

76589
●

76590
●

63746
●

B



M12194
● ✕ ◐ ■

M69810
●

M76544
● ✕ ◐ ■

M69520
●

M09710
◆ ● ✕ ◐
○ ■ ★

C



M06279
◆ ● ✕ ◐ ■

M76555
●


M75572
●

M12201
◆ ● ✕ ◐ ■

W8064
◆ ● ✕ ◐ ○
■ ★ * ▲



D



W8002
◆ ● ✕ ○ ■

M75781
◆ ●

M75872
◆ ●

76588
●

M76600
◆ ● ■

E



70099
●

M12694
◆ ● ✕ ○ ■

M76554
◆ ● ✕ ○

76832
●

70100
●

F



75875
●

77009
●

M76556
●

77010
●

W8008
● ✕ ○ ■



AMICO RWS / AMICO / WAGNER
Lanerossi

STOCK SERVICE

- ◆ Amico RWS
- Amico Soft 2/30
- ✕ Amico Soft 2/36

- Amico Teck 2/30
- * Wagner 2/30
- ▲ Wagner Teck 2/30

- ★ Amico Teck 2/48
- ◐ Amico Soft 2/48
- Amico Soft 2/60

G



M07181
◆ ● ✕ ◐ ■

50682
●

76563
●

M12173
◆ ●

31705
● ✕ ◐

H



75881
● ✕ ◐

76834
●

64574
●

M69002
●

M07735
◆ ●

I



77011
●

75884
●

76447
●

76704
●

76583
●



J



70088



70086



76564



76577



W8024
● ✕ ○ ■

K



76594



W8021
● ✕ ○ ■

13028
● ✕ ○ ■

76455



26639
● ✕ ○

L



77012



76707



76565



70129



76452





AMICO RWS / AMICO / WAGNER
Lanerossi

STOCK SERVICE

- ◆ Amico RWS
- Amico Soft 2/30
- ✱ Amico Soft 2/36

- Amico Teck 2/30
- ✱ Wagner 2/30
- ▲ Wagner Teck 2/30

- ★ Amico Teck 2/48
- Amico Soft 2/48
- Amico Soft 2/60

M



77013



77014



77015



76031

● ✱ ○

M13065



N



70125



76835



70130



70105

● ✱ ○

77016



O



75888

● ✱ ○

69186



75170



70079



76573





P



76906



76907



76908



63762



70118



Q



77017



76464



M62798



76463



76566



R



76033



76905



76576



75892



76574





AMICO RWS / AMICO / WAGNER
Lanerossi

STOCK SERVICE

- ◆ Amico RWS
- Amico Soft 2/30
- ✱ Amico Soft 2/36

- Amico Teck 2/30
- ✱ Wagner 2/30
- ▲ Wagner Teck 2/30

- ★ Amico Teck 2/48
- Amico Soft 2/48
- Amico Soft 2/60

S



75185
● ✱ ○

76567
●

76569
●

M69452
●

70126
●

T



77018
●

77019
●

70098
●

76570
●

70120
●

U



76423
●

76433
●

76467
●

76468
●

M13072
●



V



M62771



M75293



M76546



MW8517



34180



W



70132



M64218



M76023



M64678



W8056



X




76901



76575



63741



63742



69798





Y



75893
● ✕ ①

76039
●

75896
●

76040
●

77020
●

Z



77021
●


70134
●

76470
●

76711
●

75878
● ✕ ①

ZZ



62535
●

76596
●

76597
●

76471
●

64191
● ✕ ①



Amico Soft 2/36

100% (WV) Lana Merino Extrafine Shrink Resistant

P.5

fin.14






Amico RWS 2/30

100% (WV) Lana Merino Extrafine RWS Shrink Resistent

P.7
fin. 5





Amico Soft 2/30

100% (WV) Lana Merino Extrafine Shrink Resistent

P.8

fin. 7





Amico Soft 2/36

100% (WV) Lana Merino Extrafine Shrink Resistent

P.6

fin.12

INDICE COLORI MELANGE / MELANGE COLOURS LIST

COLORE COLOUR	Amico RWS 2/30	Amico Soft 2/30	Amico Soft 2/36	Amico Soft 2/48	Amico Soft 2/60	Amico Teck 2/30	Amico Teck 2/48	Wagner 2/30	Wagner Teck 2/30	POSIZIONE POSITION
M06279	◆	●	✕	⦿		■				C1
M07181	◆	●	✕	⦿		■				G1
M07735	◆	●								H5
M09710	◆	●	✕	⦿	○	■	★			B5
M12173	◆	●								G4
M12194		●	✕	⦿		■				B1
M12201	◆	●	✕	⦿		■				C4
M12694	◆	●	✕	⦿		■				E2
M13065		●								M5
M13072		●								U5
M62771		●								V1
M62798	◆	●	✕	⦿		■				Q3
M64218		●								W2
M64678		●	✕	⦿						W4
M69002		●								H4
M69452		●								S4
M69520		●								B4
M69810		●								B2
M75293		●								V2
M75572		●								C3
M75781	◆	●								D2
M75872	◆	●								D3
M76023		●								W3
M76544		●	✕	⦿		■				B3
M76546	◆	●	✕	⦿						V3
M76554	◆	●	✕	⦿						E3
M76555		●								C2
M76556		●								F3
M76600	◆	●				■				D5
MW8517	◆	●	✕	⦿		■				V4

I colori contrassegnati sono disponibili in stock service. | All colours marked are available from stock service.



AMICO TECK / WAGNER TECK

Lanerossi

AMICO TECK

Nm 2/30 - Nm 2/48

Composizione

100% (WV) Lana Merino Extrafine
Lavabile in lavatrice. Total Easy Care.

WAGNER TECK

Nm 2/30

Composizione

100% (WV) Lana Merino Fine
Lavabile in lavatrice. Total Easy Care.

Impiego Amico Teck Nm 2/30

e Wagner Teck Nm 2/30

Rettilezza fin. 12 / Cotton 21gg / 1 filo

Impiego Amico Teck Nm 2/48

Rettilezza fin. 14-16-18 / Cotton 24-27gg / 1 filo

Finissaggio consigliato

Lavare delicatamente le maglie rovesciate a 40°C con
detergente neutro. Centrifugare alla massima velocità.
Tumble dry a temperatura compresa fra 60°C e 70°C.
Stirare con minimo di pressione e abbondante vaporizzo.

Attenzioni particolari

È importante che la maglia risulti ben battuta: ciò permette
di esaltare al massimo le qualità tecniche (lavabilità in
lavatrice e asciugabilità in tumbler) ed estetiche (pulizia
di superficie e stabilità delle forme) del capo. Consigliamo
prove preventive di tessitura e finissaggio.

Solidità colori

Il filato Amico Teck e Wagner Teck supera gli standard
Woolmark Maglieria Esterna per la marcatura Total Easy
Care.

Per eventuali richieste di solidità sportiva e per rigatura,
dovranno essere specificate all'atto dell'ordine.

Spedizione

Rocche da kg 1,850 condizionati in scatole
da 15 rocche (kg 28 per scatola).

Supplementi

- Frazionamento di scatole (rocche sfuse).
- Colori a campione per studio ricetta.
- Spedizioni inferiori a 100 kg: in porto assegnato o forfait
di spedizione.

AMICO TECK

Nm 2/30 - Nm 2/48

Composition

100% (WV) Extrafine Merino Wool
Machine washable. Total Easy Care.

WAGNER TECK

Nm 2/30

Composition

100% (WV) Fine Merino Wool
Machine washable. Total Easy Care.

Knitting Amico Teck Nm 2/30

and Wagner Teck Nm 2/30

Flat machine 12 / Cotton 21gg / single yarn

Knitting Amico Teck Nm 2/48

Flat machine 14-16-18 / Cotton 24-27gg / single yarn

Finishing

Wash delicately inside-out at 40°C, using neutral
detergents and spin-dry at maximum speed. Tumble dry
at a temperature between 60°C and 70°C. Iron with
minimum pressure and generous steam.

Special notes

To exalt the technical (machine washable and tumble
dry) and aesthetical qualities (softness, surface regularity
and shape retention) of the garment it is necessary to
knit tighter in order to increase the cover. Preliminary
testing on knitting and finishing is necessary to verify that
garments meet requirements.

Colour fastness

In accordance with Woolmark out wear standards for Total
Easy Care labelling.

For sport fastness and for striping, the eventual request
must be made upon booking the order.

Packing

Cones of Kgs 1,850 conditioned in boxes of 15 cones
(28 Kgs per box).

Surcharge

- Non complete boxes (loose cones).
- Lab dips.
- Shipment below to 100 kgs, fix surcharge.

Simboli di manutenzione / Care symbols



Certificazioni / Certifications



STANDARD
100



WOOLMARK
MERINO EXTRA FINE



WOOLMARK
PURE NEW WOOL



Filivivi Srl con Socio Unico is RWS certified
By ICEA
ICEA-TX- 107

"Only the products which are covered by a valid
Transaction certificate are RWS certified"



AMICO RWS / AMICO SOFT/ WAGNER

Lanerossi

AMICO RWS

Nm 2/30

Composizione

100% (WV) Lana Merino Extrafine RWS

AMICO RWS

Nm 2/30

Composition

100% (WV) Extrafine Merino Wool RWS

AMICO SOFT

Nm 2/30 - Nm 2/36 - Nm 2/48 - Nm 2/60*

Composizione

100% (WV) Lana Merino Extrafine / Irrestringibile
(*) Nm 2/60 - 100% Lana Merino Superfine

AMICO SOFT

Nm 2/30 - Nm 2/36 - Nm 2/48 - Nm 2/60*

Composition

100% (WV) Extrafine Merino Wool / Shrink-resistant
(*) Nm 2/60 - 100% Superfine Merino Wool

WAGNER

Nm 2/30

Composizione

100% (WV) Lana Merino Fine / Irrestringibile

WAGNER

Nm 2/30

Composition

100% (WV) Fine Merino Wool / Shrink-Resistant

Impiego Amico Soft Nm 2/30 - Wagner Nm 2/30 - Amico RWS Nm 2/30

Rettilezza fin. 12 / Cotton 21gg / 1 filo

Impiego Amico Soft Nm 2/36

Rettilezza fin. 12 / Cotton 21gg / 1 filo

Impiego Amico Soft Nm 2/48

Rettilezza fin. 14-16-18 / Cotton 24-27gg / 1 filo

Impiego Amico Soft Nm 2/60*

Rettilezza fin. 16-18 / Cotton 27-30gg / 1 filo

Knitting Amico Soft Nm 2/30 - Wagner Nm 2/30 - Amico RWS Nm 2/30

Flat machine 12 / Cotton 21gg / single yarn

Knitting Amico Soft Nm 2/36

Flat machine 12 / Cotton 21gg / single yarn

Knitting Amico Soft Nm 2/48

Flat machine 14-16-18 / Cotton 24-27gg / single yarn

Knitting Amico Soft Nm 2/60*

Flat machine 16-18 / Cotton 27-30gg / single yarn

Finissaggio consigliato

Per ottenere un ottimo risultato consigliamo un
abbondante vaporizzo in fase di stiro.

Per esaltare la stabilità dimensionale ai lavaggi
e per ottenere una mano particolarmente morbida, è utile
un trattamento ad acqua del capo.

Finishing

To achieve a good result, we suggest an ample steaming
during the ironing.

To improve the dimensional stability after washing and to
achieve a particularly soft hand, it's better
to apply wet finishing of the garment.

Solidità colori

Secondo norme Woolmark
(TM250 - TM165 - TM5)

Per eventuali richieste di solidità sportiva e per rigatura,
dovranno essere specificate all'atto dell'ordine.

Colour fastness

In accordance with Woolmark Standards
(TM250 - TM165 - TM5)

For sport fastness and for striping, the eventual request
must be made upon booking the order.

Simboli di manutenzione / Care symbols



Certificazioni / Certifications



STANDARD
100



WOOLMARK
MERINO EXTRA FINE



WOOLMARK
PURE NEW WOOL



Filivivi Srl con Socio Unico is RWS certified
By ICEA
ICEA-TX- 107

*"Only the products which are covered by a valid
Transaction certificate are RWS certified"*

INDICE COLORI UNITI / SOLID COLOURS LIST

COLORE COLOUR	Amico RWS 2/30	Amico Soft 2/30	Amico Soft 2/36	Amico Soft 2/48	Amico Soft 2/60	Amico Teck 2/30	Amico Teck 2/48	Wagner 2/30	Wagner Teck 2/30	POSIZIONE POSITION	COLORE COLOUR	Amico RWS 2/30	Amico Soft 2/30	Amico Soft 2/36	Amico Soft 2/48	Amico Soft 2/60	Amico Teck 2/30	Amico Teck 2/48	Wagner 2/30	Wagner Teck 2/30	POSIZIONE POSITION
13028		●	✕	⦿		■				K3	76471		●								ZZ4
26639		●	✕	⦿						K5	76563		●								G3
31705		●	✕	⦿						G5	76564		●								J3
34180	◆	●	✕	⦿						V5	76565		●								L3
50682		●								G2	76566		●								Q5
62535		●								ZZ1	76567		●								S2
63741		●	✕	⦿						X3	76569		●								S3
63742		●	✕	⦿						X4	76570		●								T4
63746		●								A5	76573		●								O5
63762		●								P4	76574		●								R5
64191		●	✕	⦿						ZZ5	76575		●								X2
64574		●								H3	76576		●								R3
69186		●								O2	76577		●								J4
69798		●								X5	76583		●								I5
70079		●								O4	76588		●								D5
70086		●								J2	76589		●								A3
70088		●								J1	76590		●								A4
70098		●								T3	76594		●								K1
70099		●								E1	76596		●								ZZ2
70100		●								E5	76597		●								ZZ3
70105		●	✕	⦿						N4	76704		●								I4
70118		●								P5	76707		●								L2
70120		●								T5	76711		●								Z4
70125		●								N1	76832		●								E4
70126		●								S5	76834		●								H2
70129		●								L4	76835		●								N2
70130		●								N3	76901		●								X1
70132		●								W1	76905		●								R2
70134		●								Z2	76906		●								P1
75170		●								O3	76907		●								P2
75185		●	✕	⦿						S1	76908		●								P3
75875		●								F1	76912		●								A2
75878		●	✕	⦿						Z5	77009		●								F2
75881		●	✕	⦿						H1	77010		●								F4
75884		●								I2	77011		●								I1
75888		●	✕	⦿						O1	77012		●								L1
75892		●								R4	77013		●								M1
75893		●	✕	⦿						Y1	77014		●								M2
75896		●								Y3	77015		●								M3
76031		●	✕	⦿						M4	77016		●								N5
76033		●								R1	77017		●								Q1
76039		●								Y2	77018		●								T1
76040		●								Y4	77019		●								T2
76423		●								U1	77020		●								Y5
76433		●								U2	77021		●								Z1
76447		●								I3	W8001	◆	●	✕	⦿		■				A1
76452		●								L5	W8002	◆	●	✕	⦿		■				D1
76455		●								K4	W8008		●	✕	⦿						F5
76463		●								Q4	W8021		●	✕	⦿		■				K2
76464		●								Q2	W8024		●	✕	⦿		■				J5
76467		●								U3	W8056	◆	●	✕	⦿	○	■	★	*	▲	W5
76468		●								U4	W8064	◆	●	✕	⦿	○	■	★	*	▲	C5
76470		●								Z3											

I colori contrassegnati sono disponibili per campionature. | All colours marked are available for sampling.